



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME XI.

- ABRORNIS**, 233.
Acanthis linaria, 333.
Acanthorhynchus tenuirostris, 142, 144.
Accipiter, 233.
 atricapillus, 267, 302.
 cooperi, 136, 251, 252, 267.
 pallens, 170.
 velox, 136, 251, 267, 302.
Acridotheres, 233.
Acrocephalus, 233.
Actenoides, 234.
Actitis macularia, 123, 136, 302.
Ægialitis vocifera, 302.
 wilsonia, 123.
Ægithina, 233, 234.
Æronautes melanoleucus, 186.
Æstelata brevipes, 170.
 hasitata, 162, 241.
 hypoleuca, 170.
 jamaicensis, 119.
 leucoptera, 170.
 longirostris, 170.
Æthopyga, 235.
Agelaius phœniceus, 138.
Aimophila mcleodi, 67.
 rufescens, 44.
 rufescens pallida, 43.
 superciliosa, 66.
Aithurus polytmus, 125, 126.
Aix sponsa, 135.
Albatross, Wandering, 282.
Alcedo, 233.
Allen, Charles Slover, M. D., obituary of, 86.
Allen, Francis H., irregular abundance of birds in the breeding season in different years at the same locality, 334.
Allen, J. A., notice of his paper on Venezuelan Birds, 66; notice of his 'List of Birds collected in Northeastern Sonora and Northwestern Chihuahua,' 66. Ovenbird (*Seiurus aurocapillus*), 91.
American Ornithologists' Union
 Check-list of North American birds, sixth supplement to the, 46; eleventh congress of the, 51.
Ammodramus caudacutus, 139.
 caudacutus nelsoni, 333.
 henslowii, 139, 332.
 lecontei, 256, 332.
 maritimus, 139, 259.
 maritimus peninsulæ, 80.
 sandwichensis, 66.
 sandwichensis alaudinus, 305.
 sandwichensis savanna, 335.
 savannarum passerinus, 139.
 savannarum perpallidus, 305.
Ampelis cedrorum, 139, 307.
Amphispiza belli, 219.
 bilineata, 218.
Anas boschas, 301.
 carolinensis, 301.
 labradoria, 5.
 labradorica, 176.
Anous stolidus, 120.
Anthony, A. W., notice of his Birds of San Pedro Martir, Lower California, 167; notes on the genus *Heleodytes*, with a description of a new subspecies, 210; *Oceanodroma townsendi* off San Diego, California, 321; *Icterus parisorum* in western San Diego County, California, 327.
Anthothreptes, 235.
Anthracoseros, 233.
Anthus, 233.
 pensilvanicus, 80, 222, 307.
 spragueii, 80, 181.
Antrostomus rufomaculatus, 169.
 saturatus, 169.
 vociferus, 137, 253.
 vociferus arizonæ, 48.
 vociferus macromystax, 48.
Appar, Austin C., notice of his 'Pocket Key of Birds,' 65.

- Aphelocoma cyanotis, 154, 327.
 floridana, 244.
 sieberii arizonæ, 220.
 woodhousei, 268.
 Aplopelia larvata, 61.
 Apterodactylus longirostris, 280.
 Aquila chrysaetos, 69, 77, 267, 303.
 Arachnothera, 235.
 Aramides cayanaea, 243.
 cayanaea chircote, 243.
 gutturalis, 243.
 Aramus giganteus, 122.
 Arbelorhina cærulea, 143.
 cyanea, 143.
 Ardea cærulea, 121.
 candidissima, 121, 183.
 egretta, 121.
 herodias, 121, 122, 135, 302.
 tricolor ruficollis, 121.
 virescens, 121, 122, 136.
 Ardetta exilis, 121, 122, 163.
 Arenaria interpres, 226.
 Argly, 12.
 Artamides, 234.
 Artamus, 233.
 Asio accipitrinus, 71, 136.
 wilsonianus, 333.
 Astur, 236.
 Audubon, John James, portrait and
 letter of, 309.
 Audubon, Miss M. R., see Shufeldt,
 R. W.
 Auk, Great, 191.
 Auriparus flaviceps, 219.
 Avery, Dr. William Cushman,
 obituary notice of, 190, 263.
 Aythya affinis, 225.
 marila nearctica, 225.

 Bagg, Egbert, birds of Oneida
 County, New York, 162.
 Bald-head, 304.
 Bald-pate, 123.
 Banana-bird, 126.
 Bangs, Outram, another record of
 the breeding of the Saw-whet
 Owl in eastern Mass., 77; dis-
 tribution of the Hudsonian
 Chickadee, 81.
 Basileuterus rufifrons, 67.
 rufifrons jouyi, 245.
 Basilinna leucotis, 325.
 Batrachostomus, 233, 234.
 Bee-bird, 237.
 Bendire, Charles E., *Tympanuchus*
 americanus attwateri, Attwat-
 er's or Southern Prairie Hen,
 130.

 Bird, Cashew, 127.
 Cedar, 139.
 Frigate, 85.
 Indigo, 139.
 Man-o'-War, 120.
 Tortoise-shell, 121.
 Bird Protection, A. O. U. Commit-
 tee on, 87.
 Bishop, Louis B., Black Tern
 (*Hydrochelidon nigra surinamen-
 sis*) in Connecticut, 74; Whist-
 ling Swan (*Olor columbianus*) in
 Connecticut, 74; *Helminthophila*
 leucobronchialis, 79; remarks on
 the nest of *Cistothorus palustris*,
 80.
 Bittern, 163.
 American, 302.
 Black-back, 127.
 Blackbird, 124, 215.
 Brewer's, 220, 221, 305.
 Red-winged, 102, 138.
 Yellow-headed, 221.
 Bluebird, 140, 151, 215, 257.
 Mountain, 216, 217, 270, 308.
 San Pedro, 159.
 Western, 270.
 Bobolink, 26, 27, 29, 32, 70, 102,
 179, 180, 255, 305.
 Bobwhite, 136.
 Cuban, 324.
 Florida, 324.
 Bolles, Frank, obituary notice of,
 184.
 Bonasa umbellus, 67, 68, 69, 136,
 302.
 umbellus togata, 70.
 Bond, Frank, the Mockingbird in
 Wyoming, 258.
 Botaurus exilis, 183.
 lentiginosus, 70, 302.
 Brant, 224, 225.
 Branta bernicla, 224.
 canadensis, 70, 84, 226, 302.
 nigricans, 163.
 Brasher, Reginald L., Northern
 Phalaropes off the New Hamp-
 shire coast, 250.
 Brewster, William, notes and
 song-flight of the Woodcock
 (*Philohela minor*), 291; breeding
 of the Prairie Horned Lark (*Oto-
 coris alpestris praticola*) near
 Pittsfield, Mass., 326; note on the
 habits of the Northern Shrike,
 329.
 Brimley, C. S., notes from Raleigh,
 N. C., 332.

- Broderipus, 234.
Brown, Edward J., the Black Tern at Washington, 73; *Dendroica striata* in summer at Washington, D. C., 79; bird notes from Virginia, 259.
Brown, Nathan Clifford, the Yellow-breasted Chat in Maine, 333.
Bubo, 233.
 virginianus, 136.
 virginianus subarcticus, 268.
Buceros, 234.
Buchanga, 233, 234.
Bull-finch, Black, 126.
Bunting, Chestnut-collared, 217.
 Indigo, 32.
 Lark, 219.
 Lazuli, 306.
Buphagus skua antarcticus, 282.
Bush-Tit, Lead-colored, 218, 270.
Butaster, 233.
Buteo albicaudatus, 48.
 albicaudatus sennetti, 48.
 borealis, 136, 267, 302.
 borealis calurus, 267.
 latissimus, 136.
 lineatus, 197, 270.
 swainsoni, 267, 302.
Buthraupis cæruleigularis, 169.
Buzzard, Turkey, 250.
- CACABIS chucor, 70.
Cacatua, 233.
Cacomantis, 233.
Calamospiza melanocorys, 219.
Calcarius lapponicus, 180, 249.
 ornatus, 217.
Calidris arenaria, 122, 183, 225.
Callipepla elegans, 66.
 elegans bensoni, 66.
 gambeli, 68, 128.
 squamata, 221.
Calœnas, 233.
Calornis, 233.
Campbird, 304.
Campephilus imperialis, 66.
Camprober, 304.
Campptolaimus labradorius, 4-12, 176.
Campylorhynchus, 48.
Capercailzie, 70, 71.
Caprimulgus, 234.
 macromystax, 48.
 vociferus macromystax, 48.
Cardinal, 101, 139, 222.
Cardinalis cardinalis, 139.
Carpodacus cassini, 269.
Carpodacus frontalis, 255, 260.
 purpureus, 1, 182.
Carpophaga, 233.
 ænea, 239.
Cashew-bird, 127.
Catbird, 140, 307.
Cathartes aura, 124, 136, 267, 302.
Catharus melpomene clarus, 245.
Cedar-bird, 139.
Centrocercus urophasianus, 302.
Centrocoocyx, 234.
Centurus radiolatus, 124.
Ceophlœus pileatus, 137.
Certhia familiaris, 244.
 familiaris montana, 270, 307.
Certhiola, 143.
Ceryle alcyon, 136, 220, 303.
 torquata, 177.
Ceyx, 236.
 argentata, 237.
 cyanopectus, 237.
 melanura, 237.
Chætura, 233.
 pelagica, 137.
Chalcococcyx, 233.
Chalcophaps, 233.
Chalcostetha, 233.
Chapman, Frank M., remarks on the origin of bird migration, 12; notice of his 'Notes on Birds and Mammals observed near Trinidad, Cuba,' 67; notice of his second trip to the Island of Trinidad, 90; ornithological lectures at the Museum of Natural History, 90; notice of his 'Birds of the Island of Trinidad,' 173.
Charadrius dominicus, 75.
 squatarola, 123, 183, 225.
Charitonetta albeola, 84, 333.
Chat, Yellow-breasted, 70, 140, 331.
'Check-List of North American Birds,' proposed new edition of, 87.
Chelidon erythrogastra, 139, 222, 306.
Cherrie, Geo. K., notice of his 'Exploraciones zoologicas efectuadas en la parte meridional de Costa Rica,' 245.
Chickadee, Carolina, 134, 135, 140.
 Columbian, 47.
 Hudsonian, 81.
 Mountain, 270, 308.
 Plumbeous, 261.
 Long-tailed, 270, 308.
Chicken, Prairie, 68.
Chim-chim, 127.

- Chionis minor*, 282.
Chloropsis, 234.
Chondestes grammacus strigatus, 222, 306.
Chordeiles acutipennis texensis, 51.
 minor, 125.
 texensis, 51.
 virginianus, 137.
 virginianus henryi, 268, 303.
Chrysococcyx, 233.
Chrysocolaptes, 234.
 xanthocephalus, 239.
Chrysotis canifrons, 174.
Cinclus mexicanus, 69, 258, 269, 307.
Cinnyris, 236.
Circus hudsonius, 136, 267, 302.
Cisticola, 238.
 cisticola, 238.
 exilis, 238.
Cistothorus griseus, 47.
 palustris, 80, 140.
 stellaris, 333.
Cittocincla, 235.
 Clark, Hubert Lyman, high plumage in the Ptarmigan, 177.
Climacteris, 233.
Clivicola riparia, 306, 333, 335.
 Coale, Henry K., ornithological notes on a flying trip through Kansas, New Mexico, Arizona and Texas, 215.
Coccothraustes vespertinus montanus, 269.
Coccyzus americanus, 70, 124, 136.
 erythrophthalmus, 69, 183.
 minor, 124.
 Cockatoo, 239.
 Cocoa-bird, 126.
Cœligena clemenciæ, 327.
Cœreba cœrulea, 142, 144.
 cyanea, 142, 144.
 flaveola, 119, 127.
Colaptes auratus, 137, 334.
 cafer, 268, 303.
Colinus virginianus, 68, 69, 123, 129, 136.
 virginianus cubanus, 324.
 virginianus floridanus, 324.
Collocalia, 236.
Columba erythrothorax, 61.
 fasciata, 267.
 leucocephala, 123.
 taczanowskii, 170.
Columbigallina passerina, 47, 123.
 passerina terrestris, 47, 48.
Colymbus dominicensis, 119.
Compsothlypis americana, 14, 139.
 Congress on Ornithology, in Chicago, 89.
Contopus borealis, 268, 304.
 richardsonii, 268, 304.
 virens, 137.
Conuropsis, 49.
 carolinensis, 49.
Conurus, 49.
 carolinensis, 49.
 Cooke, W. W., ten new birds for Colorado, 182.
 Cooper Ornithological Club, 89.
 Coot, American, 84.
 Bald-head, 122.
 Red-head, 122.
 White-head, 122.
Copsychus, 233.
Corethura, 317.
 elegans, 243.
 reichenovi, 243.
Cormorant, Brandt's, 97.
 Common, 21.
 Double-crested, 18-25, 175.
Corone, 233.
Corvus, 235.
 americanus, 138, 305.
 americanus caurinus, 50.
 caurinus, 50.
 corax, 244.
 corax principalis, 137, 138.
 corax sinuatus, 138, 269.
 ossifragus, 138.
Coturnicops, 242, 317.
 Cowbird, 138, 305.
 Cox, Ulysses O., description of a new species of *Pipilo* from Mount Orizaba, Mexico, 161.
 Crab-catcher, 121.
 Crane, 173.
 Crane, 121.
 Little Brown, 183, 248, 324.
 Sandhill, 68, 248, 324.
 Whooping, 242, 248.
Craniorrhinus, 234.
Creciscus, 242.
 Creeper, Brown, 38.
 Rocky Mountain, 270, 307.
Crossbill, American, 38.
 American Red, 305.
 Red, 182.
 White-winged, 108.
Crotophaga ani, 124.
Crow, 69, 138, 228, 231.
 American, 305.
 Clarke's, 269, 327.
 Fish, 138.

Crow, John, 124.
Crymophilus fulcarius, 74, 181,
 225, 227.
Cryptolopha, 233.
Cuckoo, 70, 234.
 Asiatic, 335.
 Black-billed, 69, 183.
 Ground, 164.
 Yellow-billed, 136.
Cuculus canorus telephonus, 335.
Culicicapa, 233.
Cupidonia cupido, 68.
Curlew, *Eskimo*, 75, 76.
 Long-billed, 302.
Curtis, Charles P., Jr., the Double-
 crested Cormorant, 175.
Cyanocephalus cyanocephalus, 260,
 269.
Cyanocitta cristata, 137.
 cristata florincola, 70.
 stelleri macrolopha, 217, 268.
 stelleri annectens, 304.
Cyanomyias, 236.
Cyclopsitta, 234.
Cypselus phœnicobius, 125.

DAFILA acuta, 84.
Dapper, Diving, 119.
Dasyrotropha, 233, 234.
Dasylophus, 233, 234.
Davis, William F., Staten Island
 Crows and their roosts, 228.
Delaware Valley Ornithological
 Club, 197.
Dendragapus obscurus, 267, 302.
Dendrobiastes, 233.
Dendroica carbonata, 244.
Dendroica æstiva, 140, 307.
 æstiva sonora, 218.
 auduboni, 218, 269, 307.
 cærulea, 163.
 cærulescens, 182, 183, 260.
 coronata, 335.
 discolor, 140.
 kirtlandi, 258.
 maculosa, 142, 144, 335.
 palmarum, 181.
 palmarum palmarum, 333.
 pennsylvanica, 182.
 petechia, 127.
 petechia flaviceps, 67.
 petechia gundlachi, 67.
 striata, 79.
 tigrina, 140, 142, 143, 144.
 townsendi, 269.
 vigorsii, 14, 15, 140.
Dicæum, 236.

Dickcissel, 34, 35, 126.
Dicrurus, 234.
Diomedea exulans, 282.
Dionne, C. E., an abundance of
 Murre in the environs of
 Quebec, 175.
Dipper, American, 269, 307.
Dolichonyx oryzivorus, 180, 305.
 oryzivorus albinucha, 48.
Dove, *Ground*, 123.
 Mourning, 136, 220, 267, 302.
 Pea, 123.
Dryobates borealis, 137.
 pubescens, 137.
 pubescens oreæcus, 268, 303.
 scalaris lucasanus, 178.
 villosus, 136.
 villosus hyloscopus, 268, 303.
Dryococcyx, 233, 234.
Duck, *Blue Mountain*, 119.
 Buffle-head, 84.
 Labrador, 4-12, 175.
 Long-tailed 12.
 Pied, 6.
 Pin-tail, 84.
 Shoveller, 84.
 Wood, 135.
Dutcher, William, the Labrador
 Duck—another specimen, with
 additional data respecting extant
 specimens, 4; in re Dutcher on
 the Labrador Duck, 175; the
 Labrador Duck, an overlooked
 specimen and record, 176.

EAGLE, *Bald*, 69, 136.
 Golden, 69, 77, 267, 303.
Ectopistes migratorius, 70.
Edoliisoma, 234.
Edson, John W., the Parasitic
 Jaeger at Bellingham Bay, Wash-
 ington, 73.
Eider, American, 223, 226.
 King, 103, 223.
Elainea cotta, 126.
Elanus, 233.
Elliot, D. G., notice of his Mono-
 graph of the Pittidæ, Part I, 62;
 Part II, 173; Part III, 243.
Emberiza ciopsis ijimæ, 170.
Empidonax acadicus, 82, 137, 259.
 flaviventris, 78, 82.
 hammondi, 304.
 minimus, 304.
 obscurus, 268.
 pusillus, 66.
 pusillus trailli, 322.

- Empidonax wrightii*, 304.
Engyptila, 61.
 albifrons, 50, 61.
 jamaicensis, 123.
Ereunetes occidentalis, 325.
 pusillus, 325.
Erythropsitta, 234.
Eucichla guaiana, 243.
 gurneyi, 62.
 schwaneri, 62.
Eudynamis, 234.
Euethia bicolor, 126.
Eugenés fulgens, 326.
Eumyas, 233.
Euphonia jamaica, 127.
Euptilotis neoxenus, 66.
Eurystomus, 233.
Euryzona, 317.
Excalfactoria, 233.
- FALCO**, 234.
 columbarius, 246, 267.
 mexicanus, 267.
 richardsonii, 267, 302.
 sparverius, 136, 268, 303.
- Falcon*, *Prairie*, 267.
Fannin, John, the Canada Goose and Osprey laying in the same nest, 322.
- Field*, George W., notes on birds of Port Henderson, Jamaica, West Indies, 117.
- Finch*, *California House*, 255.
 Cassin's Purple, 269.
 Crimson-fronted House, 218.
 House, 216, 220, 260.
 Lark, 222.
 Lincoln's, 218.
 Pine, 269.
 Purple, 1, 38.
- Fisher*, A. K., the capture of *Basilinna leucotis* in southern Arizona, 325; occurrence of *Aphelocoma cyanotis* in western Texas, 327.
- Flicker*, 103, 137.
 Red-shafted, 268, 303.
- Flycatcher*, *Acadian*, 82, 137, 259.
 Crested, 137.
 Hammond's, 304.
 Least, 257, 304.
 Olive-sided, 268, 304.
 Traill's, 66.
 Vermilion, 218, 220.
 Wright's, 268, 304.
 Yellow-bellied, 78, 82, 110.
- Formicarius analis*, 170.
- Formicarius nigricapillus*, 170.
 nigrifrons glaucopectus, 170.
- Fregata aquila*, 77, 85, 120.
Fulica americana, 84, 122.
Fuligula labradorica, 176.
- GALEOSOPTES carolinensis**, 140, 307.
- Gallinago delicata*, 301.
- Gallinula galeata*, 122, 163, 242.
 garmani, 242.
 sandwichensis, 242.
- Gallinule*, *Purple*, 242.
- Gallus*, 233.
- Ganlin*, *Blue*, 121.
 White, 121.
- Garefowl*, 191.
- Garman*, H., notice of his list of the vertebrate animals of Kentucky, 244.
- Gault*, B. T., Kirtland's Warbler in northeastern Illinois, 258.
- Gelochelidon nilotica*, 259.
- Geocichla*, 233.
- Geococcyx californianus*, 268.
- Geopelia*, 233.
- Geothlypis*, 174.
 macgillivrayi, 269, 307.
 trichas, 140.
 trichas melanops, 67.
 trichas occidentalis, 307.
- Geotrygon mystacea*, 246.
- Gie-me-a-bit*, 125.
- Glaucidium cobanense*, 43.
 fisheri, 41, 43.
 gnoma, 268.
- Glaucionetta*, 176.
 clangula americana, 226.
- Glossoptila campestris*, 144.
- Gnatcatcher*, *Blue-gray*, 109, 140.
- Golden-eye*, 176, 226, 260.
- Goldfinch*, 139, 215.
 American, 305.
 Arizona, 218.
- Goose*, *Canada*, 84, 102, 215, 226, 302, 322.
- Goshawk*, *American*, 267, 302.
- Grackle*, *Bronzed*, 244.
 Purple, 138, 244.
 Rusty, 248.
- Gracula*, 233.
- Grass-bird*, 126.
- Grass-quit*, 126.
- Grosbeak*, *Black-headed*, 269, 306.
 Blue, 34, 109.
 Cardinal, 215.
 Evening, 1, 106, 108, 248.

- Grosbeak, Pine, 1, 69, 70, 108, 305.
 Rose-breasted, 27, 29.
 Western Evening, 108, 269.
- Grouse, Dusky, 267, 302.
 Prairie Sharp-tailed, 302.
 Red, 174.
 Ruffed, 69, 71, 136, 302.
 Sage, 302.
- Grus canadensis, 183, 324.
 lilfordi, 243.
 mexicana, 324.
- Guara alba, 121.
 rubra, 121, 324.
- Guillemot, Pigeon, 96.
- Gull, American Herring, 73, 84.
 Bonaparte's, 182.
 Heermann's, 95, 97.
 Herring, 215.
 Western, 95, 97, 301.
- HABIA ludoviciana, 332.
 melanocephala, 269, 306.
- Halcyon, 236.
 chloris, 237.
 coromanda, 237.
 gularis, 237.
- Haliaeetus, 233.
 leucocephalus, 136.
- Haliaster, 233.
- Hapalocercus fulviceps, 66.
- Harpactes, 233.
- Harporthynchus palmeri, 219.
 rufus, 69, 140.
- Hawk, Broad-winged, 136.
 Cooper's, 136, 208, 251, 267.
 Fish, 84.
 Marsh, 136, 267, 302.
 Pigeon, 267.
 Red-shouldered, 197, 270.
 Red-tailed, 105, 136, 267.
 Sennett's White-tailed, 48.
 Sharp-shinned, 136, 267, 302.
 Sparrow, 136, 268, 302.
 Swainson's, 267, 302.
 Western Red-tail, 267, 302.
- Hazard, R. G., breeding habits of the King Penguin (*Aptenodytes longirostris*), 280.
- Heleodytes affinis, 48, 210, 211, 212.
 brunneicapillus, 48, 211.
 brunneicapillus bryanti, 212.
- Helminthophila bachmani, 333.
 celata, 269, 307.
 celata lutescens, 220.
 chrysoptera, 83.
 lawrencii, 259.
 leucobronchialis, 79.
- Helminthophila luciae, 217.
 peregrina, 83.
 pinus, 259, 260.
- Helmitherus vermivorus, 222.
- Hemiphaga, 233.
- Hemiprocne zonaris, 125.
- Hen, Attwater's Prairie, 46, 130.
 Clucking, 122.
 Heath, 69.
 Mangro', 122.
 Southern Prairie, 130.
- Henicorhina pittieri, 245.
- Henshaw, H. W., an ingenious pair of House Finches, 255.
- Heron, Black-crowned Night, 183.
 Great Blue, 135, 302.
 Green, 136.
 Night, 136.
 Snowy, 183.
 Yellow-crowned Night, 177.
- Hesperocichla naevia, 258, 260.
- Hierococcyx, 233.
- Himantopus mexicanus, 122.
- Hine, Jane L., observations on the Ruby-throated Hummingbird, 253.
- Hirundo, 236.
- Histrionicus histrionicus, 69, 323.
- Homer, F. LeRoy, the Carolina Wren in winter in Mercer County, Pennsylvania, 330.
- Homoptila, 61.
 brachyptera, 62.
 reichenbachii, 61.
 verreauxi, 62.
- Honey-sucker, 142.
- Hornbill, 235.
- Howell, Arthur H., notes on some Long Island Birds, 82.
- Hummer, 125.
- Hummingbird, 137, 244.
 Bee, 126.
 Broad-tailed, 268.
 Calliope, 304.
 Ruby-throated, 253.
- Hydrochelidon nigra surinamensis, 74, 163.
- Hyloterpe, 234.
- Hypothymis, 236.
- IANTHENAS, 233.
- Ibis, Scarlet, 324.
- Icteria virens, 140, 331.
- Icterus bullocki, 305.
 cucullatus nelsoni, 220.
 gularis yucatanensis, 51.
 leucopteryx, 126.

- Icterus parisorum*, 327.
 spurius, 138.
 Ingalls, Chas. E., nesting of the Red-bellied Nuthatch in Templeton, Mass., 331.
 Iole, 236.
 Ionornis, 242.
 Irena, 235.

 JACK-SPARROW, 126.
 Jaeger, Parasitic, 96.
 Pomarine, 96, 97.
 Jay, Arizona, 220.
 Black-headed, 304.
 Blue, 101, 103, 137, 260.
 California, 220.
 Long-crested, 217, 268.
 Piñon, 260, 269.
 Rocky-mountain, 268, 304.
 Woodhouse's, 268.
 John-che-wit, 127.
 Jouy, Pierre Louis, notice of his paper on birds of Central Mexico, 245; obituary notice of, 262.
 Junco *annectens*, 216, 217, 269, 306.
 caniceps, 217, 269.
 hyemalis, 188, 217.
 hyemalis pinosus, 47, 265, 266.
 hyemalis shufeldti, 269, 306.
 hyemalis thurberi, 217.
 pinosus, 47, 266.
 Junco, 182, 215, 216.
 Gray-headed, 269.
 Pink-sided, 269, 306.
 Point Pinos, 47, 265.
 Shufeldt's, 269, 306.
 Slate-colored, 30, 215.

 KELLOGG, V. L., notes on Kansas Birds, 260.
 Kennard, Fred. H., the habits and individualities of the Red-shouldered Hawk (*Buteo lineatus*) in the vicinity of Brookline, Mass.; 197; the young of the Red-shouldered Hawk (*Buteo lineatus*), 270.
 Killdeer, 30, 102, 302.
 Kimcoll, F. H., change of habits in our native birds, 261.
 Kingbird, 135, 137, 304.
 Gray, 178.
 Kingfisher, 136.
 Belted, 96, 303.
 Ringed, 177.
 Kinglet, Ruby-crowned, 308.

 Kinglet, Western Golden-crowned, 308.
 Knowlton, F. H., see Richmond, Chas. W.
 Kohn, Gustave, Missouri Titlark in Louisiana, 181.

 LAGOPUS *alleni*, 177.
 lagopus, 177.
 rupestris, 194.
 scoticus, 177.
 Lalage, 233.
 Lampornis mango, 125.
 Lanius, 233.
 borealis, 329.
 ludovicianus, 70, 139.
 ludovicianus excubitorides, 307.
 Lark, Desert Horned, 304.
 Horned, 215, 217, 244.
 Prairie Horned, 105, 106, 107, 326.
 Larus *argentatus smithsonianus*, 68, 73, 84.
 atricilla, 120.
 californicus, 301.
 philadelphia, 182.
 Lawrence, R. H., the California Vulture in the San Gabriel Range, 76; the Western Winter Wren in southern California, 181.
 Lepidogrammus, 233, 234.
 Leptoptila, 61.
 albifrons, 61, 62.
 brachyptera, 50, 61, 62.
 erythrothorax, 61.
 fulviventris, 62.
 jamaicensis, 61.
 Limnogeranus, 242.
 Limnopardalus *rytirhynchus*, 243.
 vigilantis, 243.
 Limosa *hæmastica*, 163.
 Livermore, J., the Yellow-crowned Night Heron in Rhode Island, 177.
 Lockwood, Rev. Samuel, obituary notice of, 189.
 Locustella, 233.
 hondoensis, 170.
 Loggerhead, 124.
 Longspur, Lapland, 180.
 Loomis, Leverett M., a further review of the Avian Fauna of Chester Co., South Carolina, 26, 94; the Bobolink on the coast of South Carolina, 355; Point Pinos Junco (*Junco hyemalis pinosus*), 265.

- Loon, 69.
Lophotriccus subcristatus, 66.
Lophotriorchis, 233.
Loriculus, 234, 235.
 chrisonotus, 235.
 hartlaubii, 235.
 mindorensis, 235.
 philippensis, 235.
 regulus, 235.
 siquijorensis, 235.
 worcesteri, 235.
Lowe, Willoughby P., a list of the birds of the Wet Mountains, Huerfano County, Colorado, 266; the Scarlet Ibis (*Guara rubra*) in Colorado, 324.
Loxia curvirostra, 244.
 curvirostra minor, 305.
Loxigilla violacea, 126.
Lucas, Frederick A., the tongue of the Cape May Warbler, 141.
Lyncornis, 233.

MACKAY, George H., habits of the Double-crested Cormorant (*Phalacrocorax dilophus*) in Rhode Island, 18; further news of the Gull 'Dick,' 73; the 1893 migration of *Charadrius dominicus* and *Numenius borealis* in Massachusetts, 75; stray notes from Massachusetts, 84; correction, 175; notes on certain Water-Birds in Massachusetts, 223; the Northern Phalarope—a correction, 324.
Macronus, 234.
Macropteryx, 233.
Macropygia, 235.
Macrorhamphus griseus, 122.
Magpie, American, 268, 304.
 Black-billed, 216.
Mallard, 102, 104, 301.
Martin, Purple, 139.
Matthews, R. S., Baird's Sandpiper near Washington, D. C., 325.
May-bird, 124.
McIlwraith, Thomas, notice of a new edition of his 'Birds of Ontario,' 190, 240.
Meadowlark, 35, 102, 103, 138, 215, 305.
 Western, 70.
Mearns, E. A., explorations by, 341.
Meatbird, 304.
Meathawk, 304.

Megalurus, 238.
 palustris, 238.
 ruficeps, 238.
Megapodius, 233, 234.
Megascops asio, 136.
 asio aikenii, 46, 47.
 asio kennicottii, 49.
 asio macfarlanei, 47.
 asio maxwelliæ, 268.
 asio saturatus, 49.
 flammeola, 77.
 pinosus, 39.
 ridgwayi, 40.
Melanerpes torquatus, 260, 268, 303.
Melanopitta, 238.
 sordidus, 238.
 steerii, 238.
Meleagris gallopavo, 69.
Mellisuga minima, 126.
Melopelia leucoptera, 123.
Melospiza fasciata, 139.
 fasciata mexicana, 67.
 fasciata montana, 216, 306.
 lincolni, 50, 181, 306.
 lincolni striata, 50.
Merganser serrator, 225, 301.
Merganser, Red-breasted, 183, 225, 260, 301.
Mergus serrator, 183.
Merlin, Richardson's, 267, 303.
Merops, 236.
 bicolor, 237.
 philippinus, 237.
Merriam, C. Hart, the Water Ouzel in the Coast Range south of Monterey, California, 258.
Merula, 233.
 migratoria, 140.
 migratoria propinqua, 216, 270, 308.
Microhierax, 233.
Micropus, 233.
 melanoleucus, 268.
Middendorff, Dr. Alexander Theodor von, obituary notice of, 264.
Miller, Gerrit S., Jr., the Plumbeous Vireo in Central New York, 79; the Ground Cuckoo of Andros Island, 164; *Dryobates scalaris lucasanus* in San Diego County, California, 178.
Miller, Olive Thorne, popular *vs.* scientific ornithology, 85; notice of her 'A Bird-lover in the West,' 243.
Milvulus forficatus, 222.
Mimus hillii, 119, 127.
 orpheus, 127.

- Mimus polyglottos*, 69, 134, 220, 258.
 Minor ornithological publications, 67.
Mirafra, 233.
 Mitchell, Robert H., capture of Clarke's Nutcracker in Crittenden County, Arkansas, 327.
Mixornis, 235.
Mniotilta varia, 139.
 Mockingbird, 34, 104, 140, 222, 258.
Molothrus ater, 138, 305.
Monticola, 233.
 Morris, Robert O., rare visitants to the Connecticut Valley in 1893, 181.
Motacilla, 233.
Mulleripicus, 234.
Munia, 235.
 Murre, California, 95, 96, 97.
 Murrelet, Marbled, 96, 97.
Muscicapa, 233.
Myadestes townsendi, 217, 270.
Myiarchus crinitus, 137.
 inquietus, 66, 67.
 stolidus, 126.
 yucatanensis, 71, 168.
Myristicivora, 233.
Myrmelastes lawrencii, 171.
 NEHRING, Henry, notice of his 'Our Native Birds of Song and Beauty,' 166.
 Nelson, E. W., and T. S. Palmer, descriptions of five new birds from Mexico, 39.
 Newton, A., notice of his 'Dictionary of Birds,' Part II, 56.
 Nighthawk, 137.
 Western, 268, 303.
 Nightingale, 127.
 English, 127.
 French, 127.
 Spanish, 127.
Ninox, 236.
 lugubris, 236.
 philippensis, 236.
 Nonpareil, 222.
 Norton, A. H., *Xanthocephalus xanthocephalus* and *Spiza americana* in Maine, 78.
Nucifraga caryocatactes, 179.
 columbiana, 179, 305, 327.
 multiguttata, 179.
 multipunctata, 179.
Numenius borealis, 75.
 longirostris, 302.
 Nutcracker, Clarke's, 260, 305, 327.
 Nuthatch, Brown-headed, 101.
 Pygmy, 270.
 Red-breasted, 38, 270, 307, 331.
 Slender-billed, 270, 307.
Nyctala acadica, 77, 183.
Nyctea nyctea, 183.
Nyctibius jamaicensis, 125.
Nycticorax nycticorax nævius, 121, 122, 136, 183.
 violaceus, 121, 177, 333.
 OCEANODROMA *markhami*, 170.
 melania, 169, 170.
 townsendi, 169, 170, 321.
 Ogilvie-Grant, W. R., notice of his 'Catalogue of the Game Birds in the British Museum,' 171.
Oidemia deglandi, 183.
 Old-squaw, 111.
Olor columbianus, 74.
Oreortyx pictus, 68, 193, 194, 195.
 pictus plumiferus, 195.
 Oriole, Baltimore, 110, 215.
 Bullock's, 305.
 Orchard, 138.
 Scott's, 327.
 Oriolus, 234.
Oroscoptes montanus, 307.
Orthotomus, 236.
Ortygometra, 317.
Ortygops, 242, 317.
Osmotreron, 236, 237.
 vernans, 237.
 Osprey, 136, 322.
 American, 303, 320.
Otocoris alpestris arenicola, 217, 244, 304.
 alpestris lucolæma, 244.
 alpestris pallida, 168.
 alpestris praticola, 326.
 alpestris rubea, 168, 219.
 Ouzel, Water, 258.
 Ovenbird, 91, 134, 140.
 Owl, Aiken's Screech, 46.
 American Barn, 320.
 Barn, 253.
 Flammulated, 78.
 Great-horned, 136.
 Horned, 217.
 Long-eared, 303.
 MacFarlane's Screech, 47.
 Pygmy, 268.
 Rocky Mountain Screech, 268.
 Saw-whet, 77, 183.
 Screech, 124, 136, 261.

- Owl, Short-eared, 38, 136.
 Snowy, 69, 100, 106, 107, 183.
 Western Horned, 268.
 White, 124.
Oxyerca, 235.
- PADDA, 233.
Palmer, T. S., see Nelson, E. W.
Palmer, William, plumages of the
 young Hooded Warbler, 282;
 four additions to the birds of the
 Virginias, 333; the Ruff and
 Western Sandpiper near Wash-
 ington, D. C., 325; an Asiatic
 Cuckoo on the Prybilof Islands,
 Alaska, 325.
Palmer, E. D., capture of another
 Flammulated Owl in California,
 78.
Pandion, 233.
 haliaëtus carolinensis, 84,
 136, 303.
Panyptila cayennensis, 171.
Parrot, Racquet-tailed, 239.
Partridge, Chukor, 70.
 Common, 129.
 Gambel's, 128.
 Plumed, 101.
Parula, 133.
Parus, 235.
 atricapillus septentrionalis,
 270, 308.
 bicolor, 140.
 carolinensis, 140.
 carolinensis agilis, 261.
 gambeli, 270, 308.
 hudsonicus columbianus, 47.
 hudsonicus evura, 49.
 hudsonicus ungava, 49.
 inornatus griseus, 270.
Passer, 233.
Passerina amœna, 222, 306.
 ciris, 222.
 cyanea, 139.
Patoo, 125.
Pavoncella pugnax, 325.
Pediocates phasianellus, 68.
 phasianellus campestris, 302.
 phasianellus columbianus,
 68.
Pelargopsis, 234.
Pelecanus fuscus, 85.
Pelican, Brown, 85.
Penelopides, 234.
 affinis, 236.
 basilanica, 236.
 manillæ, 236.
Penelopides mindorensis, 236.
 panini, 235.
 samarensis, 236.
Penguin, King, 280.
Pericrocotus, 234.
Pernis, 233, 234.
Perisoreus canadensis capitalis, 268,
 304.
Perissoglossa, 140, 144.
Petchary, 126.
Petrel, Black-capped, 241.
 Jamaican, 119.
 Storm, 169.
 Townsend's, 322.
 Wilson's, 101.
Petrochelidon fulva, 127.
 lunifrons, 139, 306.
Peucæa notostica, 67.
 ruficeps boucardi, 221.
Pewee, 137.
 Black, 218.
 Western Wood, 268, 304.
Phainopepla nitens, 219.
Phabotreron, 236.
 amethystina, 237.
Phalacrocorax carbo, 21, 163.
 dilophus, 18.
Phalænoptilus nuttalli, 268.
Phalaridion, 317.
Phalarope, Northern, 27, 29, 96,
 110, 227, 250, 302, 324.
 Red, 181, 225, 226, 227.
 Wilson's, 110.
Phalaropus lobatus, 74, 226, 227,
 302.
Phasianus nycthemerus, 70.
 pictus, 70.
 torquatus, 70.
Pheasant, Mongolian, 70.
Philentoma, 234.
Philohela minor, 84, 136, 291.
Phlogœnas, 235.
Phœbe, 137.
 Say's, 304.
Phylloscopus, 233.
Pica pica hudsonica, 268, 304.
Picicorvus, 179.
 columbianus, 179, 260, 269,
 327.
Picoides americanus dorsalis, 268,
 303.
 arcticus, 303.
Picumnus obsœletus, 66.
Pigeon, 234.
 Band-tailed, 267.
 Bronzed, 239.
 Ground, 236.
 Passenger, 38, 115.

- Pigeon, Wild, 70.
 Pinicola enucleator, 305.
 enucleator + *Carpodacus*
 purpureus, 1.
 Pipilo, 216.
 aberti, 218.
 chlorurus, 220, 269, 306.
 erythrophthalmus, 139, 244.
 fuscus mesoleucus, 216, 220,
 269.
 maculatus arcticus, 306.
 maculatus megalonyx, 216,
 244.
 orizabæ, 161.
 Pipit, American, 101, 105, 111, 307.
 Sprague's, 80.
 Piranga ludoviciana, 260, 269, 306.
 Pitangus caudifasciatus, 67, 124,
 126.
 jamaicensis, 67.
 Pitta angolensis, 63.
 arcuata, 63.
 celebensis, 243.
 concinna, 243.
 koeki, 243.
 loriæ, 243.
 maxima, 62.
 moluccensis, 62, 63.
 nepalensis, 243.
 oatesi, 63.
 rosenbergi, 63.
 rubrinucha, 243.
 sordida, 63.
 steerii, 243.
 venusta, 62.
 Pitta, Blue-tailed, 243.
 Celebes, 243.
 Nepal, 243.
 Platypsaris aglaïæ, 169.
 Plover, American Golden, 75, 76,
 102, 109.
 Black-bellied, 183, 227.
 Golden, 68.
 Gray, 123.
 Guinea-hen, 122, 123.
 Podilymbus podiceps, 119.
 Poliophilophus, 235.
 Polioptila cærulea, 140.
 Polyoaëtus, 233.
 Poocates gramineus, 139.
 gramineus confinis, 305.
 Poorwill, 268.
 Porphyrola, 242.
 martinica, 242.
 Porzana, 317.
 carolina, 302.
 cinereiceps, 171.
 galapagoensis, 243.
 Porzana jamaicensis, 260.
 leucogaster, 171.
 Pratincola, 233.
 Prioniturus, 234.
 Prionochilus, 235.
 Procellaria brevipes, 170.
 torquata, 170.
 Progne dominicensis, 127.
 subis, 68, 139, 164.
 subis hesperia, 171.
 Psaltriparus melanotis iulus, 245.
 plumbeus, 218, 219, 270.
 Pseudolalage, 234.
 Psittacus carolinensis, 49.
 Ptarmigan, 177.
 Ptilocichla, 235.
 Ptilocolpa, 233.
 Ptilopus, 236.
 Ptiloxena, 67.
 Publications Received, 71, 173,
 249, 319.
 Puffinus auduboni, 85.
 gavia, 322.
 major, 85.
 Pycnonotus, 235.
 Pyrocephalus rubineus mexicanus,
 218.
 Pyrrhocentor, 233.

 QUAIL, 123.
 Blue, 221.
 California, 70.
 Japanese, 320.
 Spanish, 127.
 Quiscalus æneus, 333.
 crassirostris, 126.
 quiscula, 138.
 quiscula æneus, 70.
 Quit, Blue, 127.
 Quok, 121.

 RAGSDALE, George H., obliteration
 of the tarsal scutella in *Accipiter*
 cooperi in Texas, 251; tempera-
 ture and nest-building, 260.
 Rail, Black, 260.
 King, 136.
 Rain-bird, 125, 127.
 Raine, Walter, notice of his 'Bird-
 Nesting in North-West Canada,'
 247.
 Rallina, 317.
 Rallites, 317.
 Rallus beldingi, 242.
 caribæus, 242.
 coryi, 242.

- Rallus crepitans*, 242.
 elegans, 136, 242.
 equatorialis, 242, 243.
 gularis, 74.
 longirostris, 242.
 longirostris caribæus, 122.
 longirostris cubanus, 67, 242.
 obsoletus, 242.
 saturatus, 242.
 scottii, 242.
 virginianus, 163.
Ramphocelus, 66.
Ramphocælus, 66.
 atrosericeus capitalis, 66.
Raven, 137, 269.
 White-necked, 220.
Red-legs, 122.
Redpoll, 108, 333.
Redstart, 134, 140.
 American, 307.
Regulus calendula, 67, 308.
 satrapa olivacea, 308.
Rhipidura, 233.
Rhynchophanes mccowni, 216.
Rhynchopsitta pachyrhyncha, 66.
Richmond, Chas. W., notice of his paper on a collection of birds from Eastern Nicaragua and Rio Frio, Costa Rica, 170.
Richmond, Chas. W., and F. H. Knowlton, birds of South Central Montana, 298.
Ridgway, Robert, note on *Rougetius aldabranus*, 74; on geographical variation in *Sialia mexicana* Swainson, 145; notice of his paper on the genus *Myiarchus*, 168; notice of his paper on a small collection of birds from Costa Rica, 169; notice of his paper on a collection of birds made in Alaska, 169; notice of his paper on a new Storm Petrel from the coast of Western Mexico, 169; notice of his revision of the genus *Formicarius* Boddaert, 169; *Picicorvus* an untenable genus, 179; geographical, versus sexual, variation in *Oreortyx pictus*, 193; *Colinus virginianus cubanensis* not a Florida Bird, 324.
Rissa tridactyla, 162.
Road-runner, 220, 221, 268.
Robin, 30, 68, 71, 102, 104, 106, 109, 135, 140, 215.
 Western, 216, 270, 308.
Robin-red-breast, 124.
Robinson, Wirt, taming Chipping Sparrows, 328.
Rougetius abbotti, 74.
 aldabranus, 74.
 bernieri, 74.
 gularis, 74.
Ruff, 325.
Rynchops nigra, 162, 181.

SAGE, Jno. H., notes on some Connecticut Birds, 181.
Salpinctes obsoletus, 222, 269, 307.
Salvadori, T., notice of his Catalogue of Pigeons, 60.
Sanderling, 122, 183, 225.
Sandpiper, Baird's, 301, 325.
 Least, 98, 122, 301, 325.
 Semipalmated, 98.
 Spotted, 136, 302.
 Western, 95, 325.
 Western Solitary, 302.
Sapsucker, 178.
 Red-naped, 268, 303.
 Williamson's, 268, 303.
Sarcophanops, 235.
Sarcops, 233, 234.
Sarothrura, 317.
Saurothera andria, 164, 165.
 bahamensis, 164, 165.
 vetula, 124.
Sayornis phœbe, 137.
 saya, 216, 304.
Scaup, 225.
Schrenck, Dr. Leopold von, obituary notice of, 264.
Scolecophagus atroviolaceus, 67.
 cyanocephalus, 305.
Scops, 233, 234.
Scoter, Surf, 97.
 White-winged, 97, 183.
Scytalopus argentifrons, 169.
Seiurus aurocapillus, 70, 91, 140.
Selasphorus platycercus, 244, 326.
Setaria, 234.
Setophaga ruticilla, 140, 307.
Sewy-sewy, 127.
Sharpe, R. Bowdler, notice of his paper on the 'Zoogeographical Areas of the World,' 63; notice of his Catalogue of the Fulicariæ and Alektorides, 242.
Shearwater, Audubon's, 85.
 Black-vented, 97.
 Dark-bodied, 30, 96, 97.
 Greater, 85.
 Pink-footed, 30, 96.

- Shine-eye, 126.
 Short, Ernest H., notice of his birds of Western New York, 168.
 Shrike, Logger-head, 139.
 Northern, 248, 329.
 White-rumped, 220, 221, 307.
 Shufeldt, R. W., notes on photographing a live specimen of Gambel's Partridge, 128; random notes on some of the parasites of birds, 186; notice of his 'Comparative Oölogy of North American Birds,' 314.
 Shufeldt, R. W., and Miss M. R. Audubon, the last portrait of Audubon, together with a letter to his son, 309.
 Sialia arctica, 69, 216, 270, 308.
 cæruleocollis, 148, 155.
 mexicana, 145, 146, 150, 151, 154, 155, 270.
 mexicana anabelæ, 145, 150, 159.
 mexicana bairdi, 148, 149, 150, 157.
 mexicana occidentalis, 145, 148, 149, 150, 156.
 sialis, 140.
 Siphia, 234.
 Siskin, Pine, 38, 305.
 Sitta, 235.
 canadensis, 270, 307, 331.
 carolinensis, 140.
 carolinensis aculeata, 270, 307.
 mexicana, 45.
 pygmæa, 270.
 Skillen, James, the change from winter to spring plumage in the male Bobolink (*Dolichonyx oryzivorus*), 180.
 Skimmer, Black, 181.
 Skua, Great, 174.
 Southern, 282.
 Snipe, Wilson's, 102, 301.
 Snowflake, 101, 103, 109.
 Solitaire, Townsend's, 270.
 Somateria dresseri, 69, 223, 323.
 spectabilis, 69, 223, 323.
 Sora, 302.
 Sparrow, Black, 126.
 Brewer's, 218, 219, 306.
 Chipping, 139, 256, 328.
 English, 216, 261.
 Field, 102, 139.
 Fox, 215.
 Grasshopper, 34.
 Harris's, 183.
 Sparrow, Henslow's, 34, 139.
 Intermediate, 306.
 Jack, 126.
 Leconte's, 34, 102, 256, 332.
 Lincoln's, 306.
 Mountain Song, 306.
 Nelson's, 333.
 Savanna, 66.
 Sea-side, 139.
 Sharp-tailed, 139.
 Song, 30, 102, 139, 215.
 Tree, 301.
 Vesper, 111, 139, 218.
 Western Chipping, 218, 306.
 Western Grasshopper, 305.
 Western Lark, 306.
 Western Savanna, 305.
 Western Vesper, 305.
 Western White-crowned, 218.
 White-throated, 102, 182.
 Yellow-winged, 139.
 Spatula clypeata, 84.
 Speotyto cunicularia hypogæa, 222.
 Sphyrapicus thyroideus, 268, 303.
 varius nuchalis, 222, 268, 303.
 Spilornis, 234.
 Spindalis nigricephala, 127.
 Spinus pinus, 269, 305.
 psaltria, 69.
 psaltria croceus, 245.
 tristis, 69, 138, 305.
 Spiza americana, 78, 79, 119, 126.
 Spizaetus, 233.
 Spizella breweri, 306.
 monticola ochracea, 301.
 pusilla, 139.
 socialis, 69, 139, 256, 328.
 socialis arizonæ, 306.
 Starling, 234.
 Steere, J. B., the distribution of genera and species of non-migratory land birds in the Philippines, 231.
 Stejneger, Leonhard, notice of his 'Notes on Japanese Birds in the Science College Museum, Tokyo, Japan,' 170.
 Stelgidopteryx serripennis, 139, 308.
 Stellula calliope, 304.
 Stercorarius catarrhactes, 174.
 Sterna americana, 119.
 anæthetus, 119.
 antillarum, 183, 259.
 fuliginosa, 120.
 hirundo, 16, 120.
 maxima, 85, 120.
 sandvicensis acutifluida, 120.

- Sterna tschegrava*, 85.
Stone, Witmer, summer birds of the Pine Barrens of New Jersey, 133; capture of *Ceryle torquata* at Laredo, Texas, 177; some summer birds of the Pocono Mountains, Pennsylvania, 182: notice of his 'Revision of the Genus *Anous*,' 317; notice of his 'Review of the Old World Rallinæ,' 317.
Strix, 233.
 flammea furcata, 124.
 pratincola, 253.
Sturnella magna, 138.
 magna neglecta, 305.
Sturnia, 233.
Surber, Thaddeus, capture of the Golden Eagle at Covington, Virginia, 77.
Surnia ulula caparoch, 301.
Surniculus, 234.
Swallow, Bank, 306.
 Barn, 102, 139, 306.
 Cliff, 139, 306.
 Rough-winged, 139, 218, 308.
 Tree, 133, 135, 139, 306.
 Violet-green, 269, 301.
Swan, Whistling, 74.
Swift, Chimney, 110, 137.
 White-throated, 186, 268.
Sylvania canadensis, 182.
 microcephala, 244.
 mitrata, 84, 140, 282.
 pusilla, 50, 181, 269.
 pusilla pileolata, 50, 307.
Sylvia occidentalis, 154.
Symphemia semipalmata inornata, 302.

TACHYCINETA bicolor, 139, 306.
 thalassina, 269, 301.
Tachyphonus rubifrons, 169.
Tallowhead, 304.
Tanager, Cooper's, 222.
 Crimson-headed, 269.
 Louisiana, 110, 260, 306.
Tanagra palmarum, 171.
 palmarum melanoptera, 171.
Tanygnathus, 238.
 everettii, 238.
 luconensis, 238.
Tatler, Wandering, 95.
Teal, Cinnamon, 260.
 Green-winged, 301.
Tern, 259.
 Black, 73, 74.
 Bridled, 120.
Tern, Caspian, 85.
 Common, 16.
 Least, 183.
 Noddy, 120.
 Roseate, 120.
 Royal, 85.
 Sooty, 120.
Thalassidroma melania, 169.
Thompson, Ernest E., hybrid *Pini-cola enucleator* + *Carpodacus purpureus*, 1.
Thrasher, Bendire's, 219.
 Brown, 140.
 Curved-billed, 219.
 Palmer's, 219.
 Sage, 307.
Tripnax, 234.
Thrush, Audubon's Hermit, 270, 308.
 Gray-cheeked, 104, 110.
 Hermit, 66, 104.
 Olive-backed, 308.
 Varied, 258, 260.
 Wood, 140.
Thryothorus ludovicianus, 140, 330.
Tiga, 233, 234.
Titlark, Missouri, 181.
Titmouse, Black-capped, 215.
 Gray, 270.
 Tufted, 140.
Todus viridis, 124.
Tom-fool, 126.
Totanus flavipes, 123, 301, 325.
 melanoleucus, 123, 302.
 solitarius cinnamomeus, 302.
Towhee, 38, 134, 244.
 Arctic, 306.
 Cañon, 216, 218, 219, 220, 269.
 Green, 220.
 Green-tailed, 269, 306.
Treat, Willard E., *Phalaropus lobatus* — a correction, 74.
Treron, 233.
Tringa bairdii, 301, 325.
 canutus, 163, 259.
 fuscicollis, 163, 259.
 maculata, 325.
 minutilla, 122, 301.
Trochilus colubris, 137, 244.
 platycercus, 268.
Troglodytes ædon, 69, 140, 164.
 ædon aztecus, 219, 269, 307.
 hiemalis pacificus, 169, 181.
Trogon chrysomelas, 171.
Turdus aonalaschkæ, 66, 244.
 aonalaschkæ auduboni, 270, 308.

- Turdus aonalaschkæ pallasii*, 182.
 fuscescens, 335.
 fuscescens, salicicola, 222.
 mustelinus, 140.
 ustulatus, 244.
 ustulatus swainsonii, 308.
 Turnix, 233.
 Turnstone, 226.
 Turtur, 236.
 Tyler, Martha G., the Barn Owl in Northern Vermont, 253.
Tympanuchus americanus, 68, 69.
 americanus attwateri, 46, 130.
 attwateri, 46, 70.
Tyrannus dominicensis, 14, 126, 178.
 tyrannus, 137, 304.
 vociferans, 219.
 URIA lomvia, 175.
 Urinator imber, 69.
 lumme, 164.
 VERRILL, A. H., and G. E., notice of their notes on the fauna of the Island of Dominica, 246.
Vireo calidris, 14, 127, 246.
 gilvus, 307.
 gilvus swainsoni, 50.
 huttoni insularis, 51.
 huttoni obscurus, 51.
 modestus, 127.
 noveboracensis, 139.
 olivaceus, 139, 334, 335.
 philadelphicus, 181.
 solitarius cassinii, 220.
 solitarius plumbeus, 79, 162, 269.
 swainsoni, 50.
Vireo, 215.
 Orange-crowned, 307.
 Plumbeous, 79, 269.
 Red-eyed, 139, 334.
 Warbling, 307.
 White-eyed, 134, 139.
 Voorhees, Clark Greenwood, Connecticut notes, 259.
 Vulture, California, 76.
 Turkey, 136, 250, 267, 302.
 WALLACE, Alfred Russel, notice of his paper on the Palæarctic and Nearctic Regions, 318.
 Warbler, Audubon's, 221, 269, 307.
 Bachman's, 333.
 Black-and-White, 109, 139.
 Warbler, Blackburnian, 26, 27.
 Black-capped Flycatching, 220.
 Black-poll, 79, 109.
 Black-throated Blue, 27, 183, 260.
 Canadian, 27, 29.
 Cape May, 141.
 Chestnut-sided, 26.
 Golden-winged, 83.
 Hooded, 84, 133, 140, 282.
 Kirtland's, 258.
 Lucy's, 217, 218, 219.
 Macgillivray's, 269, 307.
 Myrtle, 103, 111.
 Orange-crowned, 109, 269, 307.
 Palm, 26, 27, 38, 105, 181, 333.
 Parula, 15, 134, 139.
 Pileolated, 307.
 Pine, 15, 104, 105, 134, 140.
 Pine-creeping, 15.
 Prairie, 133, 134, 140.
 Prothonotary, 320.
 Tennessee, 83.
 Townsend's, 269.
 Western Yellow, 221.
 Wilson's, 181, 269.
 Yellow, 104, 109, 140, 307.
 Yellow Palm, 26.
 Yellow-throated, 31, 109.
 Warren, Oscar B., *Calcarius lapponicus* in winter at Palmer, Marquette Co., Michigan, 180.
 Water-thrush, Grinnell's, 109.
 Louisiana, 101.
 Watson, Amelia M., taming of a Chipping Sparrow, 256.
 Waxwing, Bohemian, 108.
 Cedar, 307.
 Wayne, Arthur T., Sprague's Pipit (*Anthus spragueii*) on the coast of South Carolina, 80; effect of the great cyclone of August 26-27 upon certain species of birds, 85; notes on the capture of the Gray Kingbird (*Tyrannus dominicensis*) near Charleston, South Carolina, 178; notes on the distribution of the Bobolink in South Carolina, 179; Leconte's Sparrow in large numbers near Charleston, South Carolina, 256; the Sandhill Crane (*Grus mexicana*), — a correction, 324.
 Western Pennsylvania Ornithological Society, 191.

- Whip-poor-will, 137, 253.
White-belly, 123.
White, Francis Beach, Turkey
Vulture in eastern Massachu-
setts, 250.
Whitehead, 304.
White-wing, 123.
Whitfield, R. P., the food of Wild
Ducks, 323.
Willet, Western, 302.
Woodcock, 68, 69, 70, 136, 291.
 American, 32, 84.
Woodpecker, 37, 124.
 Alpine Three-toed, 268, 303.
 Arctic Three-toed, 303.
 Batchelder's, 268.
 Cabanis's, 303.
 California, 220.
 Downy, 137, 215.
 Hairy, 136.
 Lewis's, 260, 268, 303.
 Mountain Downy, 303.
 Pileated, 137, 174.
 Red, 239.
 Red-headed, 37.
Wren, Bewick's, 34, 36.
 Cactus, 210, 214, 220.
 Cañon, 269.
 Carolina, 34, 140, 330.
 House, 140.
 Long-billed Marsh, 80, 140.
 Rock, 218, 222, 269, 307.
 Western Bewick's, 220.
 Western House, 269, 307.
 Western Winter, 169, 181.
Wren, White-throated, 218.
 Winter, 182.
 Worthington's Marsh, 47.
Wright, Mabel Osgood, notice of
her 'The Friendship of Nature,'
314.
XANTHOCEPHALUS xanthocephalus,
 78.
Xantholæma, 234.
Xanthopygia, 233.
YELLOW-LEGS, 301.
 Greater, 302.
Yellow-throat, Maryland, 110, 140.
 Western, 307.
Young, Curtis Clay, Yellow-
bellied Flycatcher (*Empidonax*
flaviventris) on Long Island, 78.
Yungipicus, 234.
 kizuki, 170.
 kizuki seebohmi, 170.
ZAPORNIA, 317.
Zenaida macroura, 136, 267, 302.
 zenaida, 123.
Zeocephus, 234.
Zonotrichia albicollis, 335.
 leucophrys gambeli, 219.
 leucophrys intermedia, 219,
 306.
 querula, 183, 215.
Zosterops, 235.

ERRATA.

- Page 47, line 14, for 'April' read 'Jan.'
 " 51, " 4, " 'last' read 'lack.'
 " 67, " 10, " 'Myiardi' read 'Myiarchus.'
 " 77, " 19, " 'Nyctale' read 'Nyctala.'
 " 89, " 24, " 'Carington' read 'Carrington.'
 " 117, " 3 and 6 of footnote, for 'Clark' read 'Field.'
 " 120, " 23, for 'sandivicensis' read 'sandvicensis.'
 " 185, " 18, " '1889' read '1891.'
 " 219, " 24, " 'vociferus' read 'vociferans.'
 " 243, " 22, *dele* common after *Corethura*.
 " 268, " 14, for 'orecæcus' read 'oreocæcus.'
 " 325, " 14, for '*pavoncella*' read '*Pavoncella*.'
Plate IV, bottom line, for 'preessing' read 'preening.'